

MOIRE

BOUCLE



WHITE
900

LINEN
926

IVORY
969

FAWN
934



WHITE
900

LINEN
926

IVORY
969

FAWN
934

MOIRE & BOUCLE available widths: 36", 45", 54", 72"

PANTA-FLEX

WINDOW SHADE FABRICS

MATTE



WHITE
900

LINEN
926

IVORY
969

FAWN
934

BEIGE
933

ECRU
929

EMERALD
DUPLEX
991



MULBERRY
DUPLEX
944

NAVY
DUPLEX
913

WEDGEWOOD
DUPLEX
933

GREY
DUPLEX
909

STONE
DUPLEX
945

CHOCOLATE
DUPLEX
915

BLACK
DUPLEX
930

Available widths: 36", 45", 54", *72", *77"
 Duplex colors only available in 72" width
 Solid Black, Grey and Stone also available in 72" width
 77" available in White, Fawn, Beige, Grey and Black only

Butler Printing & Laminating Inc.

PANTA-FLEX FABRICS ARE DURABLE
4-PLY, 12 OZ PVC LAMINATED FIBERGLASS
PRODUCTS WHICH OFFER:



roller blind



vertical blind



flame retardant



black out



wipe clean only



particularly
suitable for
damp conditions

PANTA-FLEX SPECIFICATIONS

CONSTRUCTION:

4-Ply Laminated Fiberglass
(3 Ply PVC, 1 Ply Fiberglass)

FINISHED WEIGHT:

Total weight is 12 oz. per square yard.

BREAKING STRENGTH:

240 - Warp Direction
960 - Fill Direction

FLAME RESISTANCE:

- U.S. Federal Gvmt Spec.
CCC-C0521E
- National Fire Protection Association
(NFPA)
No. 701 Small Scale Test
- Boston Fire Dept. BFD 1X-1
- California Fire Marshall,
Section 13115

MOISTURE RESISTANCE:

Suitable for damp conditions

ADHESION:

PVC Films Inseparable

OPACITY:

Panta-Flex Fabrics are 100% Black Out.

WASHABILITY:

Material can be washed on both sides
using warm water and a mild 5%
detergent solution.

FABRIC WARRANTY:

Panta-Flex Fabrics are guaranteed to
be free of any manufacturing defects for
a period of 5 years. During the 5 year
period Panta-Flex shall maintain its
flame resistance, total weight,
washability, color uniformity and
tensile strength.

USE:

Roller blind and vertical blind fabrics.

BUTLER PRINTING AND LAMINATING INC.

250 Hamburg Turnpike, Butler, New Jersey 07405
TEL (973) 838-8550 800-524-0786 FAX (973) 838-1767
www.butlerprinting.com